

Flora of Stanton on the Wolds

| Latin name: Family, Genera, species | Common name | Plate no. |
|--|------------------------------------|-----------|
| Ranunculaceae | | |
| <i>Clematis vitalba</i> L. | Traveller's Joy or Old Man's Beard | PI 1 |
| <i>Thalictrum flavum</i> L. | Common Meadow Rue | PI 1 |
| <i>Ranunculus acris</i> L. | Common Meadow Buttercup | PI 3 |
| <i>Ranunculus repens</i> L. | Creeping Buttercup | PI 3 |
| <i>Ranunculus ficaria</i> L. | Lesser Celandine | PI 3 |
| Nymphaeaceae | | |
| <i>Nuphar lutea</i> (L.) Sm. | Yellow Water Lily | PI 5 |
| Papaveraceae | | |
| <i>Papaver rhoeas</i> L. | Common Red Poppy | PI 5 |
| <i>Papaver dubium</i> L. | Long Smooth-headed Poppy | PI 5 |
| <i>Papaver somniferum</i> L. | Opium Poppy | PI 5 |
| Fumariaceae | | |
| <i>Fumaria officinalis</i> L. | Fumitory | PI 6 |
| Cruciferae | | |
| <i>Nasturtium officinale</i> R.Br. | Water Cress | PI 7 |
| <i>Cardamine pratensis</i> L. | Cuckoo Flower or Lady's Smock | PI 7 |
| <i>Cardamine hirsuta</i> L. | Hairy Bitter Cress | PI 7 |
| <i>Armoracia rusticana</i> Gaertn. | Horse Radish | PI 7 |
| <i>Cochlearia danica</i> L. | Stalked Scurvy Grass | PI 8 |
| <i>Capsella bursa-pastoris</i> (L.) | Shepherd's Purse | PI 10 |
| Resedaceae | | |
| <i>Reseda luteola</i> L. | Dyer'd Rocket or Weld | PI 11 |
| Violaceae | | |
| <i>Viola riviniana</i> Reichb. | Common Violet | PI 12 |
| Caryophyllaceae | | |
| <i>Silene vulgaris</i> (Moench) Garcke | Bladder Campion | PI 13 |
| <i>Silene alba</i> (Mill.) E.H.L. Krause | White Campion | PI 14 |
| <i>Silene dioica</i> (L.) Clairv. | Red Campion | PI 14 |
| <i>Lychnis flos-cuculi</i> L. | Ragged Robin | PI 14 |
| <i>Stellaria media</i> (L.) Vill. | Chickweed | PI 15 |
| Hypericaceae | | |
| <i>Hypericum tetrapterum</i> Fr. | Square-stalked St John's Wort | PI 17 |
| Malvaceae | | |
| <i>Malva moschata</i> L. | Musk Mallow | PI 18 |
| Tiliaceae | | |
| <i>Tilia cordata</i> Mill. | Small-leaved Lime | PI 18 |
| Geraniaceae | | |
| <i>Geranium dissectum</i> L. | Cut-leaved Cranesbill | PI 19 |
| <i>Geranium robertianum</i> L. | Herb Robert | PI 19 |

Flora of Stanton on the Wolds

| Latin name: Family, Genera, species | Common name | Plate no. |
|---|-----------------------------------|-----------|
| Aquifoliaceae | | |
| <i>Ilex aquifolium</i> L. | Holly | PI 20 |
| Celastraceae | | |
| <i>Euonymus europaeus</i> L. | Spindle | PI 20 |
| Rhamnaceae | | |
| <i>Rhamnus frangula</i> L. | Berry-bearing Alder | PI 20 |
| Aceraceae | | |
| <i>Acer pseudoplatanus</i> L. | Sycamore | PI 20 |
| <i>Acer campestre</i> L. | Field Maple | PI 20 |
| <i>Acer platanoides</i> L. | Norway Maple | PI 20 |
| Papilionaceae | | |
| <i>Ulex europaeus</i> L. | Gorse or Furze | PI 21 |
| <i>Sarothamnus scoparius</i> (L.) | Broom | PI 21 |
| <i>Trifolium pratense</i> L. | Red Clover | PI 22 |
| <i>Melilotus altissima</i> Thuill. | Yellow Melilot | PI 22 |
| <i>Lotus tenuis</i> Waldst. & Kit. | Narrow-leaved Bird's-foot Trefoil | PI 23 |
| <i>Vicia tetrasperma</i> (L.) Schreb. | Smooth Tare | PI 24 |
| <i>Vicia cracca</i> L. | Tufted Vetch | PI 24 |
| Rosaceae | | |
| <i>Prunus spinosa</i> L. | Sloe | PI 26 |
| <i>Prunus domestica v.insititia</i> (L.) | Bullace | PI 26 |
| <i>Prunus avium</i> L. | Gean | PI 26 |
| <i>Prunus padus</i> L. | Bird Cherry | PI 26 |
| <i>Filipendula ulmaria</i> (L.) Maxim. | Meadow Sweet | PI 26 |
| <i>Sanguisorba officinale</i> L. | Great Burnet | PI 26 |
| <i>Artemisia absinthium</i> L. | Wormwood | PI 26 |
| <i>Potentilla reptans</i> L. | Creeping Cinquefoil | PI 27 |
| <i>Rubus fruticosus</i> | Blackberry | PI 28 |
| <i>Geum urbanum</i> L. | Wood Avens | PI 29 |
| <i>Rosa canina</i> L. | Dog Rose | PI 30 |
| <i>Rosa rubiginosa</i> L. | Sweet Briar | PI 30 |
| <i>Sorbus aucuparia</i> L. | Rowan or Mountain Ash | PI 31 |
| <i>Sorbus aria</i> Crantz | Whitebeam | PI 31 |
| <i>Malus sylvestris</i> Mill. | Crab Apple | PI 31 |
| <i>Crataegus monogyna</i> Jacq. | Common Hawthorn | PI 31 |
| <i>Crataegus oxyacanthoides</i> Thuillier | Midland Hawthorn | PI 31 |
| Haloragaceae | | |
| <i>Hippuris vulgaris</i> L. | Mare's Tail | PI 34 |
| Lythraceae | | |
| <i>Lythrum salicaria</i> L. | Purple Loosestrife | PI 34 |
| Onagraceae | | |
| <i>Epilobium angustifolium</i> L. | Rose Bay | PI 35 |
| <i>Epilobium hirsutum</i> L. | Great Willow Herb | PI 35 |
| <i>Oenothera biennis</i> L. | Evening Primrose | PI 35 |

Flora of Stanton on the Wolds

| Latin name: Family, Genera, species | Common name | Plate no. |
|--|--------------------------------|-----------|
| Cucurbitaceae | | |
| <i>Bryonia dioica</i> Jacq. | White Bryony | PI 36 |
| Umbelliferae | | |
| <i>Chaerophyllum temulentum</i> L. | Chervil | PI 38 |
| <i>Anthriscus sylvestris</i> Hoffm. | Cow Parsley | PI 38 |
| <i>Aegopodium podagraria</i> L. | Ground Elder | PI 38 |
| <i>Aethusa cynapium</i> L. | Fool's Parsley | PI 39 |
| <i>Heracleum sphondylium</i> L. | Hogweed or Cow Parsnip | PI 40 |
| <i>Torilis japonica</i> (Houtt.) | Hedge Parsley | PI 40 |
| Buxaceae | | |
| <i>Buxus sempervirens</i> L. | Box | PI 41 |
| Araliaceae | | |
| <i>Hedera helix</i> L. | Ivy | PI 41 |
| Caprifoliaceae | | |
| <i>Sambucus nigra</i> L. | Elder | PI 41 |
| <i>Viburnum opulus</i> L. | Guelder Rose | PI 41 |
| <i>Symphoricarpos rivularis</i> Suksd. | Snowberry | PI 41 |
| <i>Lonicera periclymenum</i> L. | Honeysuckle | PI 41 |
| Rubiaceae | | |
| <i>Galium aparine</i> L. | Cleavers or Goose Grass | PI 42 |
| <i>Galium verum</i> L. | Lady's Bedstraw | PI 42 |
| Valerianaceae | | |
| <i>Centranthus ruber</i> DC | Red Valerian | PI 43 |
| Dipsaceae | | |
| <i>Dipsacus fullonum</i> L. | Common Teasel | PI 43 |
| <i>Succisa pratensis</i> Moench. | Devil's Bit Scabious | PI 43 |
| Compositae | | |
| <i>Bellis perennis</i> L. | Daisy | PI 44 |
| <i>Pulicaria dysenterica</i> L. | Fleabane | PI 45 |
| <i>Achillea millefolium</i> L. | Yarrow or Milfoil | PI 45 |
| <i>Chamaemelum nobile</i> (L.) All. | Sweet Chamomile | PI 45 |
| <i>Artemisia absinthium</i> L. | Wormwood | PI 46 |
| <i>Tussilago farfara</i> L. | Coltsfoot | PI 46 |
| <i>Senecio vulgaris</i> L. | Groundsel | PI 47 |
| <i>Senecio jacobaea</i> L. | Ragwort | PI 47 |
| <i>Arctium minus</i> Bernh. | Lesser Burdock | PI 47 |
| <i>Cirsium vulgare</i> (Savi) Ten. | Spear Thistle | PI 48 |
| <i>Cirsium arvense</i> (L.) Scop. | Creeping Thistle | PI 48 |
| <i>Centaurea nigra</i> L. | Hardheads or Knapweed | PI 49 |
| <i>Lapsana communis</i> L. | Nipple-wort | PI 50 |
| <i>Picris echioides</i> L. | Bristly Ox-tongue | PI 50 |
| <i>Leontodon autumnalis</i> L. | Autumn Hawkbit | PI 53 |
| <i>Taraxacum officinale</i> Weber | Dandelion | PI 53 |
| <i>Lactuca virosa</i> L. | Great Lettuce or Acrid Lettuce | PI 53 |
| <i>Sonchus oleraceus</i> L. | Common Sowthistle | PI 53 |

Flora of Stanton on the Wolds

| Latin name: Family, Genera, species | Common name | Plate no. |
|-------------------------------------|---------------------------------|-----------|
| Primulaceae | | |
| <i>Primula veris</i> L. | Cowslip | PI 57 |
| <i>Anagallis arvensis</i> L. | Scarlet Pimpernel | PI 58 |
| Oleaceae | | |
| <i>Fraxinus excelsior</i> L. | Ash | PI 58 |
| <i>Ligustrum vulgare</i> L. | Privet | PI 58 |
| Buddlejaceae | | |
| <i>Buddleja davidii</i> Franch. | Butterfly Bush | PI 58 |
| Boraginaceae | | |
| <i>Symphytum officinale</i> L. | Comfrey | PI 60 |
| <i>Myosotis arvensis</i> (L.) Hill. | Common Forget-me-not | PI 60 |
| Convolvulaceae | | |
| <i>Calystegia sepium</i> (L.) R.Br. | Bindweed or Convolvulus | PI 61 |
| <i>Convolvulus arvensis</i> L. | Lesser Bindweed | PI 61 |
| Solanaceae | | |
| <i>Solanum dulcamara</i> L. | Woody Nightshade | PI 61 |
| <i>Solanum nigrum</i> L. | Black Nightshade | PI 61 |
| Scrophulariaceae | | |
| <i>Verbascum thapsus</i> L. | Common Mullein | PI 62 |
| <i>Scrophularia nodosa</i> L. | Figwort | PI 63 |
| <i>Digitalis purpurea</i> L. | Foxglove | PI 63 |
| <i>Veronica persica</i> Poir. | Persian Speedwell | PI 63 |
| <i>Veronica serpyllifolia</i> L. | Thyme-leaved Speedwell | PI 64 |
| Labiatae | | |
| <i>Mentha aquatica</i> L. | Water Mint | PI 67 |
| <i>Glechoma hederaceae</i> L. | Ground Ivy | PI 68 |
| <i>Prunella vulgaris</i> L. | Self-heal | PI 69 |
| <i>Stachys sylvatica</i> L. | Wood Woundwort | PI 69 |
| <i>Galeopsis tetrahit</i> L. | Common Hemp-nettle | PI 69 |
| <i>Lamium purpureum</i> L. | Purple Dead-nettle | PI 70 |
| <i>Lamium album</i> L. | White Dead-nettle | PI 70 |
| Plantaginaceae | | |
| <i>Plantago major</i> L. | Great Plantain | PI 71 |
| <i>Plantago media</i> L. | Hoary Plantain or Lamb's-tongue | PI 71 |
| <i>Plantago lanceolata</i> L. | Ribwort Plantain | PI 71 |
| Chenopodiaceae | | |
| <i>Chenopodium album</i> L. | Fat Hen | PI 71 |
| <i>Atriplex patula</i> L. | Common Orache | PI 72 |
| Polygonaceae | | |
| <i>Polygonum persicaria</i> L. | Redshank or Common Persicaria | PI 73 |
| <i>Polygonum lapathifolium</i> L. | Pale Persicaria | PI 73 |
| <i>Rumex sanguineus</i> L. | Red-veined Dock | PI 74 |
| <i>Rumex obtusifolius</i> L. | Broad-leaved Dock | PI 74 |
| <i>Rumex crispus</i> L. | Curled Dock | PI 74 |

Flora of Stanton on the Wolds

| Latin name: Family, Genera, species | Common name | Plate no. |
|--|-----------------------------|-----------|
| Euphorbiaceae | | |
| <i>Euphorbia helioscopia</i> L. | Sun Spurge | PI 75 |
| <i>Euphorbia peplus</i> L. | Petty Spurge | PI 75 |
| <i>Mercurialis perennis</i> L. | Dog's Mercury | PI 75 |
| Thymelaeaceae | | |
| <i>Daphne mezereum</i> L. | Mezereon | PI 76 |
| Ulmaceae | | |
| <i>Ulmus procera</i> Salish. | English Elm | PI 76 |
| Urticaceae | | |
| <i>Urtica dioica</i> L. | Stinging Nettle | PI 76 |
| Betulaceae | | |
| <i>Betula pendula</i> Roth. | Silver Birch | PI 76 |
| <i>Alnus glutinosa</i> (L.) Gaerrtn. | Alder | PI 77 |
| Corylaceae | | |
| <i>Carpinus betulus</i> L. | Hornbeam | PI 77 |
| <i>Corylus avellana</i> L. | Hazel | PI 77 |
| Fagaceae | | |
| <i>Quercus robur</i> L. | English or Pedunculate Oak | PI 77 |
| <i>Quercus ilex</i> L. | Evergreen or Holm Oak | PI 77 |
| <i>Quercus borealis</i> Michx. | Red Oak | PI 77 |
| <i>Quercus cerris</i> L. | Turkey Oak | PI 77 |
| <i>Castanea sativa</i> Mill. | Spanish Chestnut | PI 77 |
| <i>Fagus sylvatica</i> L. | Beech | PI 77 |
| Salicaceae | | |
| <i>Salix fragilis</i> L. | Crack Willow | PI 77 |
| <i>Salix purpurea</i> L. | Purple Willow | PI 77 |
| <i>Salix caprea</i> L. | Great willow or Goat Willow | PI 78 |
| <i>Populus alba</i> L. | White Poplar | PI 78 |
| <i>Populus nigra</i> L. | Black Poplar | PI 78 |
| <i>Populus nigra</i> v. <i>italica</i> Duroi | Lombardy Poplar | PI 78 |
| Alismataceae | | |
| <i>Alisma plantago-aquatica</i> L. | Water Plantain | PI 79 |
| Iridaceae | | |
| <i>Iris pseudacorus</i> L. | Yellow Flag | PI 83 |
| <i>Iris foetidissima</i> L. | Stinking Iris | PI 83 |
| Dioscoreaceae | | |
| <i>Tamus communis</i> L. | Black Bryony | PI 84 |
| Liliaceae | | |
| <i>Endymion non-scriptus</i> (L.) Garcke. | Bluebell | PI 85 |
| Typhaceae | | |
| <i>Typha latifolia</i> L. | Bulrush or Great Reedmace | PI 88 |

Flora of Stanton on the Wolds

| Latin name: Family, Genera, species | Common name | Plate no. |
|-------------------------------------|---------------------------------|-----------|
| Lemnaceae | | |
| <i>Lemna polyrhiza</i> L. | Great Duckweed | PI 88 |
| Araceae | | |
| <i>Arum maculatum</i> L. | Cuckoo-pint or Lords-and-Ladies | PI 88 |
| Gramineae | | |
| <i>Alopecurus pratensis</i> L. | Meadow Foxtail Grass | PI 95 |
| <i>Phleum pratense</i> L. | Timothy Grass | PI 95 |
| <i>Agrostis tenuis</i> Sibth. | Common Bent Grass | PI 95 |
| <i>Holcus lanatus</i> L. | Yorkshire Fog | PI 96 |
| <i>Festuca pratensis</i> Huds. | Meadow Fescue Grass | PI 97 |
| <i>Lolium perenne</i> L. | Rye Grass | PI 98 |
| <i>Agropyron repens</i> (L.) Beauv. | Couch Grass | PI 99 |
| <i>Dactylis glomerata</i> L. | Cocksfoot Grass | PI 97 |
| Pinaceae | | |
| <i>Larix decidua</i> Mill. | European Larch | PI 100 |
| <i>Pinus sylvestris</i> L. | Scots Pine | PI 100 |
| <i>Pinus nigra</i> Arnold | Austrian Pine | PI 100 |
| <i>Pinus radiata</i> Don. | Monterey Pine | PI 100 |
| Taxaceae | | |
| <i>Taxus baccata</i> L. | Yew | PI 100 |
| Cupressaceae | | |
| <i>Juniperus communis</i> L. | Juniper | PI 100 |